


Reverse Circulation Hammer Brief Specifications



A	Hammer Product Number			RS500-RCHAM	
	Standard Hole Size			90 mm	
	Top Thread			3 inch Remet	
	Outside Diameter (C)			81 m	
	Total length without bit (A)			1142mm	

Shroud Details

Sr.No	Rocksmith Part Number	Diameter mm	Diameter inches	Bit Face Configuration	Carbide Design
1	SH-1-84	84.1	3-5/16"	-	-
2	SH-1-87	87.3	3-7/16"	-	-
3	SH-1-90	90.5	3-9/16"	-	-
4	SH-1-93	93.7	3-11/16"	-	-
5	SH-1-100	100	3-15/16"	-	-

Drill bits details


1	RC1-86	86	3-3/8"	Drop Centre	Hemispherical
2	RC1-88	88.9	3-1/2"	Drop Centre	Hemispherical
3	RC1-90	90	3-1/2"	Drop Centre	Hemispherical
4	RC1-95	95.2	3-3/4"	Drop Centre	Hemispherical
5	RC1-101	101.6	4"	Drop Centre	Hemispherical

B	Hammer Product Number			RS1000-RCHAM	
	Standard Hole Size			124mm	
	Top Thread			3.5 inch Remet/ 4 Inch Remet/ 4 Inch Metzke	
	Outside Diameter (C)			109 mm	
	Total length without bit (A)			1204 mm	

Rocksmith



Reverse Circulation Hammer Brief Specifications




Shroud Details

Sr.No.	Rocksmith Part Number	Diameter mm	Diameter inches	Bit Face Configuration	Carbide Design
1	SH-2-112	112.7	4-7/16"	-	-
2	SH-2-114	114.3	4-1/2"	-	-
3	SH-2-115	115.9	4-9/16"	-	-
4	SH-2-117	117.5	4-5/8"	-	-
5	SH-2-119	119.1	4-11/16"	-	-
6	SH-2-120	120.7	4-3/4"	-	-
7	SH-2-123	123.8	4-7/8"	-	-
8	SH-2-125	125.4	4-15/16"	-	-
9	SH-2-127	127	5"	-	-
10	SH-2-128	128.6	5-1/16"	-	-
11	SH-2-131	131.7	5-3/16"	-	-
12	SH-2-150	150	5-15/16"	-	-
13	SH-2-163	163.5	6-7/16"	-	-

Drill Bits Details

1	RC2-120	120	4-3/4"	Drop Centre	Hemispherical
2	RC2-123	123.8	4-7/8"	Drop Centre	Hemispherical
3	RC2-127	127	5"	Drop Centre	Hemispherical
4	RC2-130	130.2	5-1/8"	Drop Centre	Hemispherical
5	RC2-133	133.4	5-1/4"	Drop Centre	Hemispherical
6	RC2-152	152.4	6"	Drop Centre	Hemispherical
7	RC2-165	165	6-1/2"	Drop Centre	Hemispherical

Reverse Circulation Hammer Brief Specifications



C	Hammer Product Number			RS1200-RCHAM	
	Standard Hole Size			124mm	
	Top Thread			3.5 inch Remet/ 4 Inch Remet/ 4 Inch Metzke	
	Outside Diameter (C)			117 mm	
	Total length without bit (A)			1204 mm	


Shroud Details

Sr.No.	Rocksmith Part Number	Diameter mm	Diameter inches	Bit Face Configuration	Carbide Design
1	SH-3-119	119.1	4-11/16"	-	-
2	SH-3-120	120.7	4-3/4"	-	-
3	SH-3-123	123.8	4-7/8"	-	-
4	SH-3-125	125.4	4-15/16"	-	-
5	SH-3-127	127	5"	-	-
6	SH-3-128	128.6	5-1/16"	-	-
7	SH-3-131	131.7	5-3/16"	-	-
8	SH-3-150	150	5-15/16"	-	-
9	SH-3-163	163.5	6-7/16"	-	-

Drill Bits Details

1	RC3-123	123.8	4-7/8"	Drop Centre	Hemispherical
2	RC3-127	127	5"	Drop Centre	Hemispherical
3	RC3-130	130.2	5-1/8"	Drop Centre	Hemispherical
4	RC3-133	133.4	5-1/4"	Drop Centre	Hemispherical
5	RC3-152	152.4	6"	Drop Centre	Hemispherical
6	RC3-165	165	6-1/2"	Drop Centre	Hemispherical

Reverse Circulation Hammer Brief Specifications




D	Hammer Product Number			RS1500-RCHAM	
	Standard Hole Size			133 mm / (5-4/16")	
	Top Thread			3.5inch remet/ 4 inch Remet/ 4 inch Metzke/ 4.5 inch Metzke/ Remet	
	Outside Diameter (C)			121 mm	
	Total length without bit (A)			1210 mm	

Shroud Details

Sr.No.	Rocksmith Part Number	Diameter mm	Diameter inches	Bit Face Configuration	Carbide Design
1	SH-4-122	122.2	4-13/16"	-	-
2	SH-4-123	123.8	4-7/8"	-	-
3	SH-4-125	125.4	4-15/16"	-	-
4	SH-4-127	127	5"	-	-
5	SH-4-128	128.6	5-1/16"	-	-
6	SH-4-130	130.2	5-1/8"	-	-
7	SH-4-131	131.7	5-3/16"	-	-
8	SH-4-133	133.4	5-1/4"	-	-
9	SH-4-134	134.9	5-5/16"	-	-
10	SH-4-136	136.5	5-3/8"	-	-
11	SH-4-138	138.1	5-7/16"	-	-
12	SH-4-139	139.7	5-1/2"	-	-
13	SH-4-163	163.5	6-7/16"	-	-
14	SH-4-170	170	6-11/16"	-	-
15	SH-4-188	188.5	7-7/16"	-	-
16	SH-4-200	200	7-7/8"	-	-

Reverse Circulation Hammer Brief Specifications



Drill Bits Details


	Rocksmith Part Number	Diameter mm	Diameter inches	Bit Face Configuration	Carbide Design
1	RC4-127	127	5"	Drop Centre	Hemispherical
2	RC4-130	130.2	5-1/8"	Drop Centre	Hemispherical
3	RC4-133	133.4	5-1/4"	Drop Centre	Hemispherical
4	RC4-136	136.5	5-3/8"	Drop Centre	Hemispherical
5	RC4-139	139.7	5-1/2"	Drop Centre	Hemispherical
6	RC4-165	165.1	6-1/2"	Drop Centre	Hemispherical
7	RC4-172	172	6-3/4"	Drop Centre	Hemispherical
8	RC4-190	190.5	7-1/2"	Drop Centre	Hemispherical
9	RC4-203	203.2	8"	Drop Centre	Hemispherical

E	Hammer Product Number			RS1600-RCHAM	
	Standard Hole Size			133 mm / (5-4/16")	
	Top Thread			4 inch Remet/ 4 inch Metzke/ 4.5 inch Remet/ 4.5 inch Metzke	
	Outside Diameter (C)			122 mm	
	Total length without bit (A)			1279 mm	

Shroud Details

Sr.No.	Rocksmith Part Number	Diameter mm	Diameter inches	Bit Face Configuration	Carbide Design
1	SH-5-122	122.2	4-13/16"	-	-
2	SH-5-123	123.8	4-7/8"	-	-
3	SH-5-125	125.4	4-15/16"	-	-
4	SH-5-127	127	5"	-	-
5	SH-5-128	128.6	5-1/16"	-	-
6	SH-5-130	130.2	5-1/8"	-	-
7	SH-5-131	131.7	5-3/16"	-	-

Reverse Circulation Hammer Brief Specifications




8	SH-5-133	133.4	5-1/4"	-	-
9	SH-5-134	134.9	5-5/16"	-	-
10	SH-5-136	136.5	5-3/8"	-	-
11	SH-5-138	138.1	5-7/16"	-	-
12	SH-5-139	139.7	5-1/2"	-	-
13	SH-5-163	163.5	6-7/16"	-	-
14	SH-5-170	170	6-11/16"	-	-
15	SH-5-188	188.5	7-7/16"	-	-

Drill Bits Details

1	RC5-123	123.8	4-7/8"	Drop Centre	Hemispherical
2	RC5-127	127	5"	Drop Centre	Hemispherical
3	RC5-130	130.2	5-1/8"	Drop Centre	Hemispherical
4	RC5-133	133.4	5-1/4"	Drop Centre	Hemispherical
5	RC5-136	136.5	5-3/8"	Drop Centre	Hemispherical
6	RC5-139	139.7	5-1/2"	Drop Centre	Hemispherical
7	RC5-165	165.1	6-1/2"	Drop Centre	Hemispherical
8	RC5-172	172	6-3/4"	Drop Centre	Hemispherical
9	RC5-190	190.5	7-1/2"	Drop Centre	Hemispherical

F	Hammer Product Number			RS2000-RCHAM	
	Standard Hole Size			137 mm / (5-4/16")	
	Top Thread			4 inch Remet/ 4 inch Metzke4.5 inch Remet/ 4.5inch Metzke/	
	Outside Diameter (C)			121 mm	
	Total length without bit (A)			1226 mm	

Reverse Circulation Hammer Brief Specifications




Shroud Details

Sr.No.	Rocksmith Part Number	Diameter mm	Diameter inches	Bit Face Configuration	Carbide Design
1	SH-6-127	127	5"	-	-
2	SH-6-128	128.6	5-1/16"	-	-
3	SH-6-130	130.2	5-1/8"	-	-
4	SH-6-131	131.7	5-3/16"	-	-
5	SH-6-133	133.4	5-1/4"	-	-
6	SH-6-134	134.9	5-5/16"	-	-
7	SH-6-136	136.5	5-3/8"	-	-
8	SH-6-138	138.1	5-7/16"	-	-
9	SH-6-139	139.7	5-1/2"	-	-
10	SH-6-141	141.3	5-9/16"	-	-
11	SH-6-163	163.5	6-7/16"	-	-
12	SH-6-175	175.8	6-15/16"	-	-
13	SH-6-188	188.5	7-7/16"	-	-
14	SH-6-201	201.2	7-15/16"	-	-

Drill Bits Details

1	RC6-133	133.4	5-1/4"	Drop Centre	Hemispherical
2	RC6-136	136.5	5-3/8"	Drop Centre	Hemispherical
3	RC6-139	139.7	5-1/2"	Drop Centre	Hemispherical
4	RC6-142	142.9	5-5/8"	Drop Centre	Hemispherical
5	RC6-165	165.1	6-1/2"	Drop Centre	Hemispherical
6	RC6-177	177.8	7"	Drop Centre	Hemispherical
7	RC6-190	190.5	7-1/2"	Drop Centre	Hemispherical
8	RC6-203	203.2	8"	Drop Centre	Hemispherical

Reverse Circulation Hammer Brief Specifications




G	Hammer Product Number			RS3000-RCHAM
	Standard Hole Size			140 mm / (5-1/2")
	Top Thread			4.5 inch Remet/ 4.5inch Metzke
	Outside Diameter (C)			130 mm
	Total length without bit (A)			1252 mm

Shroud Details

Sr.No.	Rocksmith Part Number	Diameter mm	Diameter inches	Bit Face Configuration	Carbide Design
1	SH-7-131	131.7	5-3/16"	-	-
2	SH-7-133	133.4	5-1/4"	-	-
3	SH-7-134	134.9	5-5/16"	-	-
4	SH-7-136	136.5	5-3/8"	-	-
5	SH-7-138	138.1	5-7/16"	-	-
6	SH-7-139	139.7	5-1/2"	-	-
7	SH-7-141	141.3	5-9/16"	-	-
8	SH-7-142	142.9	5-5/8"	-	-
9	SH-7-144	144.5	5-11/16"	-	-
10	SH-7-163	163.5	6-7/16"	-	-
11	SH-7-175	175.8	6-15/16"	-	-
12	SH-7-188	188.5	7-7/16"	-	-
13	SH-7-201	201.2	7-15/16"	-	-

Reverse Circulation Hammer Brief Specifications



Drill Bits Details

1	RC7-136	136.5	5-3/8"	Drop Centre	Hemispherical
2	RC7-139	139.7	5-1/2"	Drop Centre	Hemispherical
3	RC7-142	142.9	5-5/8"	Drop Centre	Hemispherical
4	RC7-146	146	5-3/4"	Drop Centre	Hemispherical
5	RC7-165	165.1	6-1/2"	Drop Centre	Hemispherical
6	RC7-177	177.8	7"	Drop Centre	Hemispherical
7	RC7-190	190.5	7-1/2"	Drop Centre	Hemispherical
8	RC7-203	203.2	8"	Drop Centre	Hemispherical